


Markus Knobloch, Ulrike Kuhlmann, Wolfgang Kurz,
Markus Schäfer (eds.)

Composite Construction in Steel and Concrete IX

Proceedings of the Ninth International
Conference on Composite Construction
in Steel and Concrete

- with information on new developments in the standards such as Eurocode and AISC
- application of new design concepts and calculation models
- presentation of innovative constructions

The book summarizes the state-of-the-art in composite construction presented at the 9th International Conference on Composite Construction in Steel and Concrete. The 62 contributions promote the understanding and application of innovative structures, connections and materials.



4 / 2023 · approx. 752 pages ·
approx. 600 figures · approx. 200 tables
Hardcover

ISBN 978-3-433-03378-4 **€ 169***

Available for pre-order

ORDER

+49 (0)30 470 31-236

marketing@ernst-und-sohn.de

www.ernst-und-sohn.de/en/3378

Preface	IX	<i>Kevin Wolters, Georgios Christou, Markus Feldmann</i>	
Composite Construction in Steel and Concrete	X	Probabilistic design of composite girders considering the degradation of the shear connection and the redistribution of forces	99
CODIFICATION	1		
<i>Nicole Schmeckebier, Wolfgang Kurz</i>		<i>Trent Phillips, Gian Andrea Rassati, James Swanson, Nadia Baldassino, Riccardo Zandonini</i>	
Engineering model for the vertical shear capacity of composite slabs with additional reinforcing steel	3	Progressive collapse modeling of a steel structure with composite slab using commercial finite element software	111
<i>Stephen Hicks, Markus Schäfer, Graham Couchman</i>			
European code developments	15	COMPOSITE BRIDGES	123
<i>Roberto T. Leon</i>		<i>Wojciech Lorenc, Günter Seidl, Robert Kühne</i>	
Evolution of USA composite codes: Changes in chapter I (composite construction) of the AISC 360-22	27	Composite dowels for bridges: trends and challenges for new European design rules	125
<i>Stephen Hicks, Matthias Braun, Zlatko Markovic, James Way</i>		<i>Richard Stroetmann, Cécilia Karge, Tobias Mansperger</i>	
New Eurocode 4 design rules for composite beams with precast concrete slabs	40	Development of an orthotropic composite slab system for road bridges	139
<i>Ioan Diacu</i>		<i>Luís Vieira, José Oliveira Pedro, Rodrigo Gonçalves, Dinar Camotim</i>	
Potentially unsafe structural consequences in the design of composite beams shear connectors (a look at some of the Eurocode 4-1-1 design backgrounds)	50	Effect of cross-section bracing in steel-concrete composite bridge decks using the generalized beam theory	149
COMPOSITE BEAMS	61	<i>Mike Tibolt, Dennis Rademacher, Oliver Hechler, Kevin Wolters, Nils Rittich, Stoyan Ivanov</i>	
<i>Roland Bärtschi, Samuel Garcia, Robert Kroyer, Pascal Sutter</i>		Integral sheet piling abutments of modular composite bridges for a time efficient construction	161
Deformation capacity and ductility of shear connectors	63	<i>Radosław Sęk, Bogusław Pilujski, Dariusz Sobala, Wojciech Lorenc</i>	
<i>Samiran Adhikari, Gian Andrea Rassati, James A. Swanson, Rachel A. Chicchi</i>		New type of composite arch element using composite dowels: application in railway network arch bridge	173
High-definition modelling of composite beams	75	<i>Piotr Koziół, Wojciech Lorenc, Maciej Kozuch, Witold Kosecki, Adam Stempniewicz</i>	
<i>Philipp Hauser, Wolfgang Kurz</i>		New type of transition zone for steel-concrete hybrid beams in bridges	182
Non-linear analysis of composite beams with minimal modelling and calculation effort for strain-limited design	87		

CONTENTS

<i>Riccardo Zanon</i> Use of high-strength steel for slender medium span bridges: two recent case studies in France	192	<i>Qingjie Zhang, Markus Schäfer</i> Innovative numerical approaches for strain limited design of composite beams	295
COMPOSITE COLUMNS	205	<i>Joshua Henneberg, Peter Schaumann</i> Numerical analysis of early age movement in grouted connections	307
<i>Markus Schäfer, Qingjie Zhang, Pellumb Zogu, Marco Bergmann, Ozgun Ergun</i> Assessment of general method for composite column design in EN 1994-1-1 and comparison with simplified method	207	<i>Sina Kazemzadeh Azad, Brian Uy, Yifan Zhou, Yuchen Song, Jia Wang</i> Performance and design of stainless-steel composite structures – beams, columns and joints	320
<i>Ozgun Ergun, Markus Schäfer</i> Comparison of geometrical imperfection definitions on encased composite columns	219	FATIGUE AND FRACTURE	333
<i>Przemyslaw Schurgacz, Martin Neuenschwander, Markus Knobloch</i> Slender column strength of innovative concrete filled steel tube columns with high-performance building materials	231	<i>Lena Stempniewski, Ulrike Kuhlmann</i> Composite bridges with cracked concrete deck spanning between transverse beams under fatigue shear loading	335
<i>Mark Denavit</i> Variable stiffness reduction factor for stability design of steel-concrete composite columns	243	<i>Maryam Hosseini, Olivia Mirza, Fidelis Mashiri</i> Fatigue analysis of composite beam with bolted shear connectors	347
COMPOSITE DECKS	255	<i>Martin Mensinger, Florian Oberhaidinger, Lukas Stimmelmayer</i> Influence of hot dip galvanizing on the fatigue behaviour of T-studs for a grouted joint of integral composite frame bridges	354
<i>Valentino Vigneri, Christoph Odenbreit, Markus Schäfer, Stephen Hicks, Dennis Lam, François Hanus</i> Characterization of the load-slip behaviour of headed stud shear connections in narrow profiled sheeting	257	<i>Josef Karl Kraus, Karsten Geißler</i> Studies of the fatigue stress and strength of large composite bridges with cantilevers and precast concrete elements	364
<i>Leopold Sokol, Anna Palisson</i> Sagging bending resistance of composite slabs in partial shear connection	270	FIRE BEHAVIOUR	373
COMPOSITE STRUCTURAL ELEMENTS	281	<i>Manuel Romero, Vicente Alberó, Ana Espinos, Enrique Serra, Antonio Hospitaler, David Pons</i> A novel strategy for slim-floor fire protection	375
<i>Dongxu Li, Brian Uy, Zhichao Huang, Mahub Khan</i> Behaviour and design of high-performance steel and steel-concrete composite structures	283		

<i>Pascal Lequime</i> Advanced numerical fire design of industrial composite slabs with unprotected steel beams – a case study	384	<i>Riccardo Zanon, Dennis Rademacher, Günter Seidl, Daniel Pak</i> Integral bridge with RS-Overpass technology – step into the future standard highway overpasses	485
<i>Hitesh Lakhani, Jan Hofmann</i> Concrete cone failure of post installed fasteners during fire	396	JOINTS	497
<i>Oliver Beckmann, Michael Cyllok</i> Load transfer from hollowcore slabs to DELTABEAM® slim-floor beams in case of a Fire	404	<i>Nilde Maci, Jan Hofmann</i> Influence on the load-displacement behaviour of steel-to-concrete connections with post-installed adhesive anchors	499
<i>Alexey Tretyakov, Ilia Tkalenko, Kamila Cábová, František Wald</i> Finite element analyses for European model of the steel and fibre reinforced concrete circular hollow section column in fire	416	<i>Petr Cervenka, Jakub Dolejš</i> Steel FRC slab in compression in steel-concrete composite frame joints	510
<i>Takeo Hirashima, Fuminobu Ozaki, Tor Yoshida, Kei Kimura, Junichi Suzuki</i> Membrane action of reinforced concrete slabs in fire	422	<i>Michael Petrasch, Jan Hofmann</i> Strengthening of anchor channels on the concrete surface	522
<i>Kei Kimura, T. Hirashima, F. Ozaki, Tor Yoshida, Junichi Suzuki</i> Numerical analysis of load-bearing fire test for reinforced concrete slabs	434	<i>Maximilian Ziwes, Jakob Ruopp, Ulrike Kuhlmann</i> Studies on steel-to-concrete joints with concentrated loading conditions	534
INNOVATIVE STRUCTURES	447	PRACTICAL APPLICATIONS	547
<i>Hau Tran, Huu-Tai Thai, Brian Uy, Tuan Ngo, Dongxu Li, Jun Mo</i> Advanced analysis of steel-concrete composite buildings	449	<i>Maciej Koźuch, Wojciech Lorenc, Błażej Bartoszek, Adam Stempniewicz, Henryk Windorpski, Michał Struczyński, Radosław Sęk, Wojciech Ochojski</i> Application of rolled sections in composite bridges with span over 50 m	549
<i>Jovan Fodor, Markus Schäfer</i> Experimental and numerical investigation of the friction based demountable shear connector	461	<i>Ulrich Breuninger, Jonas Landsberger</i> Design, calculation and construction work of a prestressed composite construction to support the facade columns of a high-rise building	561
<i>Huu-Tai Thai</i> Innovative composite structural systems for modular tall buildings	473	<i>Xuemei Li, Ashpica Chhabra, Han Ding</i> Kunming Tower: composite systems in supertall design	573

CONTENTS

<i>Stefano China, Aroldo Tegon</i> NPS composite beams and columns used for the Odense university hospital	585	<i>Raul Avellaneda Ramirez, Matthew Eatherton, W. Samuel Easterling, Benjamin Schafer, Jerome Hajjar</i> Strength of concrete filled steel deck composite diaphragms with reinforcing steel	668
SEISMIC BEHAVIOUR	597	SHEAR CONNECTIONS	679
<i>Nicholas E. Briggs, Raul E. Avellaneda- Ramirez, Kyle Coleman, Benjamin W. Schafer, Matthew R. Eatherton, W. Samuel Easterling, Jerome Hajjar</i> Cyclic behavior of composite connections in compo- site floor diaphragms	599	<i>Taygun Yolacan, Markus Schäfer</i> Determination of slip-factor between friction shims and shot-blasted steel surfaces	681
<i>Yuko Shimada</i> Evaluation of the plastic deformation capacity of composite beams through the connection coefficient	611	<i>Yannick Broschart, Wolfgang Kurz, Kevin Wolters, Georgios Christou, Markus Feldmann, Josef Hegger, Martin Claßen</i> Development of a consistent design concept for composite dowels	693
<i>Yixin Zhang, Yang Liu, Jie Ruan, Pinzhi Wang</i> Seismic performance of prefabricated core steel tube reinforced concrete columns	621	<i>Cäcilia Karge, Richard Stroetmann, Joachim Wisniewski</i> Experimental and numerical investigation of dowel strips for longitudinal and transverse loading	705
<i>J. Ann Albright, Alessio Argentoni, Paolo M. Calvi</i> Experimental investigation of interior and exterior steel-concrete composite NPS beam-column joints	632	<i>Valentino Vigneri, Robert Kroyer, Stefano China, Alessio Argentoni, Andreas Taras</i> Longitudinal shear transfer in composite steel truss and concrete (CSTC) beams	717
<i>Luis B. Fargier-Gabaldon, Paul Cordova, Gustavo Parra-Montesinos, Gregory Deierlein</i> RCS moment frames in high seismic zones in the United States	644	<i>Angeliki Christoforidou, Florentia Kavoura, Marko Pavlovic, Milan Veljkovic</i> Mechanical performance of injected steel-reinforced resin connectors under different confined conditions for reusable composite structures	729
<i>Rafaela Don, Adrian Ciutina, Aurel Stratan, Cristian Vulcu</i> Slim-floor beam-to-column joints for seismic-resis- tant structures: joint performance and case study on MRFs	656		

Composite Construction is a key consideration in the design of buildings and infrastructure. Significant advances in research and development have increased the knowledge of the structural performance of composite structures. Some areas are becoming well understood and implemented in the design practice, codes and standards worldwide, while others like, e.g., application of high-performance materials or dismantlable and reusable composite members need further studies; trends that are reflected by the contribution to this conference. To make a full use of these innovations and advances, we need a forum for researchers, practitioners, and engineers to share and discuss their research, practical experience and innovations related to composite constructions in steel and concrete with their peers in an open, international forum.

The highly successful International Conference series on Composite Construction in Steel and Concrete are considered a major forum for the exchange of knowledge among the peers of the global composite construction community. The events started in 1987 in Henniker, New Hampshire, USA followed by Potosi, Missouri, USA in 1992. The conference was once held in Europe, which was the 3rd Composite Construction 1996 in Irsee, Germany. This event was followed by an event in the amazing scenery in Banff, Canada in 2000 as well as in 2004 at the Kruger National Park, South Africa. The 6th event was held 2008 in Devil's Thumb Ranch, Colorado, USA, before visiting Palm Cove, Queensland, Australia in 2013 and Jackson, Wyoming, USA in 2017.

These proceedings summarize the state-of-the art in composite construction worldwide, as presented at the 9th International Conference on Composite Construction in Steel and Concrete hosted by the Ruhr-Universität Bochum RUB, University of Stuttgart, RPTU Kaiserslautern-Landau and University of Luxembourg between the 27th and 29th July 2021. As a result of the global COVID-19 coronavirus pandemic, it is the first Composite Construction Conference that was held completely online.

The papers contained in this volume were selected through a rigorous review process and cover a wide variety of topics, including composite beams, composite columns, composite decks, joints, shear connections, fire behavior, seismic behavior, fatigue and fracture, codification, composite bridges, innovative hybrid structures, numerical investigations and practical applications representing the work of authors from 18 different countries around the world. One of the principles of the conference series is that it should represent a forum where the latest research and case studies are presented. Papers were therefore submitted only a few months before the conference and have been adapted based on the outcome of the discussions during the conference before the final publication, which ensures that only the most current work is presented.

This conference was organized by the members of the Chair of Steel, Lightweight and Composite Structures, Ruhr-Universität Bochum RUB, the Institute of Structural Design, University of Stuttgart, the Institute of Steel Structures, RPTU Kaiserslautern-Landau as well as the teaching and research area for Structural Engineering and Composite Structures, University of Luxembourg with the help, support and cooperation of the members of the International Scientific Committee, in particular the support of Professors W. Samuel Easterling, Jerome F. Hajjar, Roberto Leon, and Gian Andrea Rassati. We thank all expert reviewers for the time and effort they spent on the task of selecting and reviewing the papers. Our sincere thanks to all authors; the quality of this book is just the corollary of the high standard of their contributions, R&D activity and practical applications. Finally, we would like to acknowledge the effort and support provided by the partners and sponsors of the conference as well as the staff of our universities.

Markus Knobloch, Ulrike Kuhlmann,
Wolfgang Kurz and Markus Schäfer
February 2023

Composite Construction in Steel and Concrete IX

Proceedings of the Ninth International Conference on Composite Construction in Steel and Concrete,
July 27–29, 2021

About this conference

The highly successful International Conference series on Composite Construction in Steel and Concrete is a major forum for researchers, practitioners, and engineers to share and discuss their research, practical experience and innovations related to composite constructions in steel and concrete with their peers of the global composite construction community. One of the principles of the conference series is that it should represent a forum where the latest research and case studies are presented. Papers are therefore submitted only a few months before the conference and may be adapted based on the outcome of the discussions during the conference, which ensures that only the most current work is published. The CCIX was hosted by the Ruhr-Universität Bochum RUB, University of Stuttgart, RPTU Kaiserslautern-Landau and University of Luxembourg in July 2021. As a result of the global COVID-19 coronavirus pandemic, it is the first Composite Construction Conference to be held completely online.

Review Process

All papers published in this issue were peer-reviewed by the Scientific Board of the conference series.

Committees:

Local Organizing Committee

Ulrike Kuhlmann	University of Stuttgart	Germany
Markus Knobloch	Ruhr-Universität Bochum RUB	Germany
Wolfgang Kurz	RPTU Kaiserslautern-Landau	Germany
Markus Schäfer	Universität Luxembourg	Luxembourg

Scientific Committee

Roland Bärtschi	Bärtschi Ingenieure	Switzerland
Alain Bureau	Centre Technique De La Construction Metallique (CTICM)	France
Adrian Ciutina	Polytechnic University of Timisoara	Romania
Graham Couchman	Steel Construction Institute (SCI)	UK
W. Samuel Easterling	Iowa State University	USA
Jerome Hajjar	Northeastern University	USA
Stephen Hicks	University of Warwick	UK
Markus Knobloch	Ruhr-Universität Bochum RUB	Germany
Venkatsh Kodur	Michigan State University	USA
Ulrike Kuhlmann	University of Stuttgart	Germany
Wolfgang Kurz	RPTU Kaiserslautern-Landau	Germany
Dennis Lam	University of Bradford	UK
Jean-Paul Lebet	École Polytechnique Fédérale de Lausanne	Switzerland
Roberto Leon	Virginia Polytechnic Institute and State University	USA
Matti V. Leskela	University of Oulu	Finland
Richard Liew Jat Yuen	National University of Singapore	Singapore
Renata Obiala	ArcelorMittal Global R&D	Luxembourg
José Oliveira Pedro	Instituto Superior Técnico de Lisbon	Portugal
Gian Andrea Rassati	University of Cincinnati	USA
Manuel L. Romero	Universitat Politècnica de València	Spain
Markus Schäfer	Universität Luxembourg	Luxembourg
Brian Uy	University of Sydney	Australia
Milan Veljkovic	Delft University of Technology	Netherlands
František Wald	Czech Technical University in Prague	Czech Republik
Rebeka Winkler	Ruhr-Universität Bochum RUB	Germany
Ben Young	The Hong Kong Polytechnic University	China

EUROPEAN CODE DEVELOPMENTS

Stephen J. Hicks*, **Markus Schäfer****, **Graham Couchman*****

* School of Engineering, University of Warwick, Coventry, UK (Vice-chair of CEN/TC250/SC4 and member of project team CEN/TC250/SC4.T3, SC4.T5 and SC4.T6)

e-mail: Stephen.J.Hicks@warwick.ac.uk

** University of Luxembourg, Department of Engineering, Structural Engineering & Composite Structures (Convener of CEN/TC250/SC4.T6 and member of project team CEN/TC250/SC4.T1)

e-mail: markus.schaefer@uni.lu

*** SCI, Ascot, UK (Chair of CEN/TC250/SC4)

e-mail: G.Couchman@steel-sci.com

Keywords: Eurocode 4, Second generation of Eurocode 4, Codes and Standards, Composite.

Abstract *The second generation of Eurocode 4 has been developed through several project teams that report to CEN TC250 Subcommittee 4 (CEN/TC250/SC4) ‘Design of composite steel and concrete structures’, which is chaired by Dr Graham Couchman. Given that work on the revised version of Eurocode 4 is nearing completion, this paper presents a selection of the changes that will be included, together with some of the technical challenges that needed to be overcome. Finally, further enhancements that might be considered worthy for inclusion within future editions of this standard are presented.*

1 INTRODUCTION

Work on the Eurocodes commenced in 1975 when the European Commission decided on ‘an action programme in the field of construction’ based on article 95 of the Treaty of Rome, which was aimed at ‘the elimination of technical obstacles to trade and harmonisation of technical specifications’. The Commission of European Communities (CEC) published eight European codes, or ‘Eurocodes’, for the design and execution of buildings and civil engineering structures. From these eight documents, the code for composite steel and concrete structures was published as Eurocode No. 4 in 1985 [1], which was based on the: ECCS Model Code [2]; international studies; together with Eurocode No. 1 (Common unified rules for different types of construction and material), No. 2 (Common unified rules for concrete structures), and No. 3 (Common unified rules for steel structures). The European Commission transferred the preparation and the publication of the Eurocodes to the European Committee for Standardization (CEN) in 1989 through a series of mandates, in order to provide them with the status of a European Standard (EN). In the same year, the Construction Products Directive (CPD), was issued which introduced the concept of CE Marking for all construction products permanently incorporated into construction works [3].

Under the direction of Technical Committee CEN/TC250, the Eurocodes were published by CEN in 1992 as European pre-standards (ENV). Due to difficulties in harmonizing all aspects, the ENV Eurocodes included “boxed values” which permitted Member States to choose values for use within their territory through the publication of National Application Documents (NADs). Subcommittee 4 (CEN/TC250/SC4) was responsible for the ENV Eurocode 4, which was published in three Parts *viz.* ENV 1994-1-1 [4], ENV 1994-1-2 [5], and ENV 1994-2 [6]. To avoid repetition of information, and reduce potential ambiguity, values and properties are only given in one Eurocode. Because of this, ENV Eurocode 4 provided extensive cross-referencing to the ENV Eurocode 2 and Eurocode 3.

The EU mandate to CEN required that the content of the final ENs should be limited to the ENV versions modified in response to national comments; this became challenging in the development of the EN

Eurocode 4 due to changes in Eurocode 2 and Eurocode 3 that had been made to address these comments which, *inter alia*, included increasing the maximum yield strength of structural steel from 355 MPa to 460 MPa. Moreover, from national comments relating to the ease of use of ENV 1994-2 for bridge designers, the Eurocode 4 project team were given permission to repeat the ‘general’ Part 1-1 rules within Part 2 [7]. For the design of composite steel and concrete structures, the EN Eurocode 4 was published in the following three parts:

- EN 1994-1-1, Part 1-1: General rules and rules for buildings [8].
- EN 1994-1-2, Part 1-2: General rules – Structural fire design [9].
- EN 1994-2, Part 2: General rules and rules for bridges [10].

To enable the EN Eurocodes to be used within a particular territory, National Standards Bodies (NSBs) have published National Annexes (NAs) which contain: Nationally Determined Parameters (NDPs) (values of partial safety factors and classes applicable to that country, country specific data, and values where only a symbol is given in the EN); decisions on the status of informative annexes; and references to non-contradictory complementary information (NCCI). After a coexistence period, the EN Eurocodes replaced the former national standards in 2010 in countries that are members of CEN. The Construction Products Regulation (CPR) [11] replaced the CPD in 2011, which resulted in CE Marking becoming mandatory from 1st July 2013. The above provides a brief overview of the history of Eurocode 4 up to the EN version; a much more comprehensive review of the development from 1970 to 2010 is presented by Johnson [7]. More recently, the Eurocodes were adopted as national standards in Singapore [12], and it is anticipated that other countries may soon be implementing them, such as Hong Kong, Macau, Malaysia, Vietnam, Sri Lanka and Indonesia [13].

Following the publication of Mandate M/515 by the European Commission [14], work on the second generation of the Eurocodes commenced in 2015. Given that the work programme is nearing completion, the revised version of Eurocode 4 will soon become available. This paper presents a selection of the changes that will be included within the second generation of Eurocode 4, Part 1-1 (hereafter referred to as prEN 1994-1-1) [15], as well as highlighting future areas of improvement which may be considered worthy for future revisions.

2 SECOND GENERATION OF EUROCODE 4

A response to Mandate M/515 was prepared by CEN/TC250 [16], which set-out an ambitious and detailed work programme where discrete tasks are undertaken under the direction of one of TC250’s existing subcommittees, working groups or horizontal groups. The mandate, *inter alia*, requires: extension of the Eurocodes in terms of new materials, products and construction methods; reduction in the number of NDPs (thereby leading to an alignment of safety levels); enhancing ‘ease of use’ for users; adoption of relevant ISO standards to supplement the Eurocodes (which implicitly recognizes the CEN-ISO Vienna agreement); and incorporation of recent results from scientific and technical associations, together with new research results. The revision can be broadly divided into two activities:

- General revisions and maintenance of the Eurocodes following the receipt of comments from the industry through a “systematic review” undertaken by NSBs.
- Technical enhancements of the Eurocodes within the scope of Mandate M/515.

For cases where there was insufficient agreement to develop a new EN, European Technical Specifications (CEN/TS) are also under development, which will complement and enlarge the suite of Eurocodes. A graphical representation of the structure for the second generation of the Eurocodes is presented in Figure 1.

The CEN/TC 250 work programme has been split into four overlapping phases, as follows:

- Phase 1: 25 Tasks (125 technical experts), 2015-2018
- Phase 2: 22 Tasks (88 technical experts), 2017-2020
- Phase 3 & 4: 26 Tasks (104 technical experts) 2018-2022

Each Task is the responsibility of a Project Team, which consists of a maximum of five or six members. The project team members were selected through a competitive tender and are contracted to the Royal

Netherlands Standardization Institute (NEN), which manages the work programme on behalf of CEN. For Eurocode 4, CEN/TC250/SC4 identified eight tasks within the work programme (see Table 1). At the time of writing, work is nearing completion with the last three project teams shown in Table 1 concluding in February 2022.




Figure 1. Structure of the second generation of the Eurocodes

Table 1: Tasks relating to Eurocode 4 within the CEN/TC250 work programme[16]

Project Team	Phase	Tasks
SC4.T1	1	Development of revisions to EN 1994-1-1, EN 1994-1-2 and EN 1994-2 in response to feedback from industry during the systematic review, including needs for harmonization with EN 1992 and EN 1993.
SC4.T2	1	Development of a new annex in EN 1994-1-1 for the design of composite beams with large web openings.
SC4.T3	1	Development of revised rules in EN 1994-1-1 for shear connection in the presence of modern forms of profiled sheeting.
SC4.T4	1	Development of new rules in EN 1994-1-2 for composite columns (concrete filled tubes) in fire.
SC4.T5	2	Development of new rules for EN 1994-1-1 and EN 1994-1-2 covering shallow floor construction, and other flooring types using precast concrete elements.
SC4.T6	3-4	Development of revised EN 1994-1-1
SC4.T7	3-4	Development of revised EN 1994-1-2
SC4.T8	3-4	Development of revised EN 1994-2

For the design of composite steel and concrete structures, it is anticipated that the second generation of Eurocode 4 will result in the following documents:

1. EN 1994-1-1, Part 1-1: General rules and rules for buildings.
2. EN 1994-1-2, Part 1-2: General – Structural fire design.
3. EN 1994-2, Part 2: Additional rules for bridges.
4. CEN/TS 1994-1-101 Design of composite steel and concrete structures — Design of double and single skin steel concrete composite (SC) structures.
5. CEN/TS 1994-1-102 Design rules for the use of Composite Dowels.
6. CEN/TS 1994-1-103 Design rules for composite columns comprising high performance materials.

As well as the new technical specifications, to reduce repetition and avoid any ambiguity, it has been decided to remove general rules from EN 1994-2 (as reflected in the change in title above) and provide cross-references to EN 1994-1-1; this change is consistent with Eurocode 3 and effectively results in EN 1994-2 becoming an “application part” [17]. Moreover, one of the important revisions to EN 1994-1-2 that was the responsibility of project team SC4.T4 are new rules for concrete filled tubes (CFTs) in fire conditions [18], which have also been implemented within the Australasian design standard AS/NZS 2327 [19]. Although not exhaustive, the following sections present a selection of the changes that will be included within Part 1-1 of Eurocode 4 (prEN 1994-1-1).

2.1 Materials

Similar to the earlier project teams that developed the first generation of Eurocode 4, one of the challenges faced by SC4.T6 was harmonisation with the rules given in the second generation of Eurocode 2 (prEN 1992-1-1) and Eurocode 3 (prEN 1993-1-1), which were also under development. For prEN 1992-1-1, the range of concrete strength classes will be between C12/15 and C100/115 for normal concrete, together with LC12/13 and LC80/88 for lightweight concrete; also, reinforcing steel strength classes between B400 and B700 are permitted. For prEN 1993-1-1, structural steel grades between S235 and S700 are supported. However, given the lack of experience of using higher strength materials in composite steel and concrete structures in Europe, the rules in Eurocode 4 will be limited to the following:

- Concrete strength classes between C20/25 and C70/85, together with LC20/22 and LC60/66 with a density not less than 1750 kg/m³.
- When the design method is based on plastic global analysis and plastic resistance:
 - Reinforcing steel strength classes not greater than B500 for continuous composite beams, columns, and slabs.
 - Structural steel with a nominal yield strength not more than $f_y = 460$ MPa.
- When the design method is based on elastic or strain-limited design principles (see Section 2.6), the full range of reinforcing steel strength classes and structural steel grades permitted in prEN 1992-1-1 and prEN 1993-1-1, respectively may be applied.

Note that the concrete strength class of C70/85 has increased from C60/75 due to push test evidence suggesting that there is no adverse effects on the ductility of headed studs (see Section 2.3). Notwithstanding this, it is anticipated that a larger nominal yield strength for structural steel and higher concrete strength classes will be supported within the forthcoming CEN/TS on composite columns, which is consistent with other international standards and design guides where $f_y \leq 690$ MPa and $f_{ck} \leq 100$ MPa are permitted (see Section 2.10).

2.2 Composite beams with web-openings

Over the last 20 years, many long-span composite systems have been developed which permit mechanical services to be integrated within the structural depth of the floor. A common method of achieving this service integration is by means of openings cut within the webs of composite beams using I- or H-sections. The two main configurations of openings that are used are:

- isolated large openings at positions where the interaction between the openings is minimised; and
- regular openings, to form what are sometimes known as ‘cellular beams’.

Whilst a draft amendment to the ENV version of Eurocode 3 was prepared in 1998 [20], which covered non-composite beams with web-openings, the committee draft was never published. Improvements to existing industry design guidance on composite beams with web-openings was developed through two major European research programmes [21],[22]. In the UK, this led to a design guide [23] that can be used alongside Eurocode 3 and 4.

From work undertaken by project team SC4.T2 (see Table 1), prEN 1994-1-1 will include a new Annex, which complements the new EN 1993-1-13 [17], and supports the design of composite beams with web-openings in sagging moment regions. For cases where the flexural stiffness of the concrete slab above the

hole is significant, supplementary design rules [24] are given in a separate Annex which considers tension in the shear connectors and shear in the concrete.

2.3 Headed stud shear connectors embedded in solid concrete slabs and encasements

Internationally, higher strength concrete and a wider range of stud diameters are frequently being supported by composite design standards [19],[25]. Due to a greater body of push test data being available than when the existing Eurocode 4 was developed, several studies have investigated the design resistance of headed stud shear connectors to extend the scope of the current rules, as follows:

- From conducting an EN 1990 reliability analyses based on 101 push tests, Hanswille and Porsch [26] showed that some small modifications should be made to the existing Eurocode 4 design model to justify the use of the target value of $\gamma_v = 1.25$ for the existing concrete strength classes of between C20/25 and C60/75, stud diameters of $16 \text{ mm} \leq d \leq 25 \text{ mm}$, and a specified ultimate tensile strength of the stud material of $460 \leq f_u \leq 620 \text{ MPa}$.
- The database by Hanswille and Porsche was expanded to 242 tests by Hicks [27], who investigated what changes would need to be made to several design models to support the use of higher concrete strengths and larger stud diameters. From analyses according to EN 1990, it was found that by making small modifications to the Eurocode 4 design model, it could be safely extended to include concrete between C12/15 and C90/105, $12.7 \text{ mm} \leq d \leq 31.75 \text{ mm}$, and $400 \leq f_u \leq 500 \text{ MPa}$ (in addition, an enhancement to the Eurocode 4 model according to Döinghaus [28] for classes greater than C50/60 was also proposed). It was also recommended that the design model should be limited to a stud height to diameter ratio of $h_{sc}/d \geq 4$.
- Konrad *et al.* [29] developed a completely new design model. From reliability analyses considering 140 push tests, this design model was validated for concrete between C20/25 and C100/115, $16 \text{ mm} \leq d \leq 25 \text{ mm}$, and a characteristic tensile strength of the stud material $f_{uk} \leq 740 \text{ MPa}$. It was also recommended that $h_{sc}/d \geq 4$.

The design resistances predicted by Eurocode 4 compared with the above design models are presented graphically in Figure 2.




Figure 2. Design resistance of headed studs versus characteristic compressive cylinder strength of concrete with $f_u = 450 \text{ MPa}$ and $h_{sc}/d \geq 4$ for Eurocode 4 compared with other proposed design models (extension for prEN 1994-1-1 shown dotted).

Due to concerns that the ductility of headed studs may reduce in more modern concretes than those included within the push test databases discussed above [30], coupled with the fact that increasing the design resistance of headed studs might have adverse implications when fatigue is considered, the current

rules will be maintained within prEN 1994-1-1. However, the concrete compressive strength will be increased to strength class C70/85 (shown by the dotted line in Figure 2), and the rules limited to $h_{sc}/d \geq 4$. The latter limit is consistent with the requirements in the AISC Specification [31].

2.4 Headed studs used with profiled steel sheeting in buildings

For studs welded within trapezoidal sheeting with the ribs transverse to the supporting beam the current Eurocode 4 provides equations to determine a reduction factor k_t , which is applied to the design resistance of a stud embedded in a solid concrete slab (see Section 2.3). The existing reduction factor equations are based on push test data from specimens that used sheeting types which were common in the 1980s. However, more recent research [32],[33] has shown that the reduction factor equations do not perform well for modern trapezoidal profiled steel sheeting. To remedy this situation, two new design models have been proposed for incorporation within Eurocode 4 *viz.*: new reduction factor equations by Konrad *et al.* [29], which need to be used with a new design model for headed studs embedded in solid concrete slabs (see Section 2.3); and a mechanical cantilever model that considers failure of a concrete failure cone in combination with plastic hinges developing within the shank of the stud, which is based on the work by Odenbreit and Nellinger [34] and extended by Vigneri *et al.* [35],[36].

From considering the advantages and disadvantages of the proposed models, it was felt that neither was able to completely replace the existing design rules in Eurocode 4 because they: reduced the current scope; required changes elsewhere (e.g. fatigue); or resulted in different design resistances for long established products that are known to perform well. On this basis, it was decided to retain the existing Eurocode 4 reduction factor equations, but reduce their scope for sheeting with transversely orientated ribs to:

- Trapezoidal sheets with an embedment depth $h_A \geq 2.7d$ and $e_k > 60\text{mm}$, where $h_A = (h_{sc}-h_p)$ (see Figure 3(a)).
- Re-entrant sheets with $h_A \geq 2d$.
- Reinforcement placed underneath the head of the stud.
- For trapezoidal sheets with a top re-entrant stiffener, $d_{ef} \leq 15\text{ mm}$ and $b_{fp} \geq 25\text{ mm}$ (see Figure 3(b)).

For cases when the above limits are not satisfied, it is proposed that the design resistances may be evaluated through the design model proposed by Vigneri *et al.* [35],[36], which are presented within a new Annex to prEN 1994-1-1.




Figure 3. (a) Headed stud welded centrally within transversely orientated rib of trapezoidal profiled steel sheeting (b) cross-section of trapezoidal sheeting with top re-entrant stiffener [15].

2.5 Minimum degree of shear connection in beams for buildings

The existing Eurocode 4 rules for partial shear connection are based on two independent studies [37],[38]. These studies assumed that, in solid concrete slabs and composite slabs using profiled steel sheets prevalent in the 1980s, the characteristic slip capacity of 19 mm diameter studs was approximately $\delta_{lk} =$

6 mm. The required slip was determined from numerical analyses of composite beams using various spans, cross-sections, and degrees of shear connection η . The rules for partial shear connection in Eurocode 4 were limited to situations where the required slip did not exceed 6 mm. Studs were deemed to be “ductile” in those situations.

From full-scale composite beam and companion push tests with trapezoidal sheeting and transversely orientated ribs, it has been found that a characteristic slip capacity of $\delta_{ik} = 10$ mm can be achieved [32], [33]. Moreover, in practical design of composite beams in buildings, the utilization of the plastic bending resistance $\rho_m (= M_{Ed} / [0.95M_{Rd}(\eta)])$ can be low because the design is often limited by serviceability considerations. Finally, the earlier numerical analyses that formed the basis for the existing Eurocode 4 rules conservatively assumed propped construction, which is unusual in current practice. From a major European research programme [33], numerical analyses have been undertaken to investigate the sensitivity of these variables on the required slip. In the UK, this led to a design guide that can be used alongside Eurocode 4 [39]. From project team SC4.T3, the following changes are proposed within prEN 1994-1-1:

- Two ductility categories for ductile shear connectors are introduced: D2 for $\delta_{ik} = 6$ mm; and D3 for $\delta_{ik} = 10$ mm.
- Utilization of the plastic bending resistance of between $0.8 \leq \rho_m \leq 1.0$.
- Consideration of whether propped or unpropped construction is used which, for the latter, is related to the utilization of the bending resistance of the steel section from the self-weight loads before composite action $M_{a,Ed}$ cf. bending resistance of the composite beam with full shear connection ($\rho_{up} = M_{a,Ed} / M_{pl,Rd}$).

The proposed minimum degree of shear connection rules for composite beams in bending are presented graphically in Figure 4.




Figure 4. Minimum degree of shear connection versus span for S355 symmetric steel sections, Ductility Category D2 shear connectors and plastic bending resistance utilization of $\rho_m = 1.0$ or $\rho_m = 1.0$ (with $\rho_{up} = 0.15$ for unpropped construction).

2.6 Strain limited design of composite beams in bending

For composite beams where the plastic neutral axis is deep within the cross-section (such as may occur in slim floor beams, or for beams when steel grades S420 or S460 are used), the plastic bending resistance can overestimate the actual resistance. In these circumstances, the bending resistance should be evaluated from non-linear theory using the stress-strain relationships of the concrete, structural steel and reinforcement. Given that such a calculation is often impractical in normal design, Schäfer *et al.* [40]

developed a simplified method for evaluating the non-linear bending resistance which will be included in prEN 1994-1-1 with the following scope:

- (i) concrete strength class between C20/25 and C50/60;
- (ii) ratio of the overall depth of the concrete slab ($h_c + h_{pg}$) to the depth of the steel section h_a is between $0.15 \leq (h_c + h_{pg})/h_a \leq 0.7$, where h_c is the thickness of concrete flange above the ribs of the sheeting;
- (iii) the depth of the profiled steel sheeting $h_{pg} \leq 135$ mm;
- (iv) the effective width of the concrete flange $b_{eff} \geq 1000$ mm; and
- (v) the cross-sectional area of the top flange A_{ft} in relation to the bottom flange area A_{fb} satisfies $A_{ft}/A_{fb} \leq 1.0$.

When conditions (i) to (v) are satisfied, the non-linear bending resistance may be taken to be:

$$M_{Rd} = \beta M_{pl,Rd} \quad (1)$$

where β is a reduction factor (which is related to the steel grade and the depth of the plastic neutral axis in relation to the overall depth of the beam, expressed by the ratio z_{pl}/h) and $M_{pl,Rd}$ is the design value of the plastic bending resistance of the composite cross-section with full shear connection.

2.7 Slim floor beams in buildings

Shallow floor, or slim-floor construction, has become popular throughout Europe as it provides a shallow structural zone, reduced number of beams, and flexibility in the layout of mechanical services. The key feature of slim-floor construction is the steel beams, which are integrated within the floor depth and possess a wide bottom flange to support the floor slabs. The floor slabs, consisting of either precast concrete hollow core slabs or composite slabs with deep profiled steel sheeting, span between the beams in the orthogonal direction. The partial encasement of the steel beams leads to an inherent fire resistance without the application of fire protection materials. Whilst shallow floor solutions have been adopted widely, they have predominantly been developed as proprietary floor systems in the absence of specific design rules given in Eurocode 4. To remedy this situation project team SC4.T5 were responsible for developing generic design rules (see Table 1) [41], which will be included within prEN 1994-1-1.

2.8 Composite beams with precast concrete slabs in buildings

A high proportion of multi-storey steel frames use precast concrete floors, which are particularly suited to sectors such as hotels, residential buildings and car parks. The synergy between the use of precast concrete slabs and steel structures is that they both come from a manufacturing technology rather than a site-based activity, and share the quality control, accuracy, and reliability of factory production. Whilst rules on precast slabs were given in Eurocode No. 4 [1], ENV 1994-1-1 [4] and ENV 1994-2 [6], this information is not included in the current version on EN 1994-1-1. In the absence of design rules in Eurocode 4, design guides have been published in the UK [42],[43] which are based on research by Lam [44],[45],[46]. Project team SC4.T5 were responsible for developing rules for prEN 1994-1-1 (see Table 1), which are presented in a companion paper [47].

2.9 Composite slabs

Whilst the m - k method has been widely used in the design of composite slabs for longitudinal shear, it has been known for some time that there are several shortcomings with the approach [48]; because of these shortcomings, the European industry has generally adopted the partial connection method, which has a much wider scope. To reflect current practice, it is proposed that prEN 1994-1-1 will no longer support the $m+k$ method [49].

When the vertical shear resistance of composite slabs is considered in the current Eurocode 4, reference is made to the Eurocode 2 rules for slabs without shear reinforcement. From a comprehensive test programme on composite slabs with a wide variety of profiled steel sheeting cross-sections, it has been

found that the current design approach is very conservative. To remedy this situation, a new design model for composite slabs has been developed [50], which is proposed to be included in prEN 1994-1-1.

2.10 Composite columns using high strength concrete and structural concrete

Internationally, higher strength concrete and structural steel is being introduced in design standards for concrete and steel structures (see Section 2.1). This is recognized in the Australasian composite steel and concrete design standards for buildings and bridges AS/NZS 2327 [19] and AS/NZS 5100.6 [25], where $f_y \leq 690$ MPa and $f_{ck} \leq 100$ MPa are permitted in the design of composite columns. Following the introduction of the Eurocodes in Singapore, a design guide was published [51] that extends the scope of the existing Eurocode 4 simplified design method to concrete strength class C90/105 and S550 steel, which is essentially considered as an NCCI. However, given that it was felt that a broader range of composite columns with high strength materials should be included, prEN 1994-1-1 supports their use through an extension to the general design method [49]. Nevertheless, it is anticipated that simplified design methods will be included in the companion CEN/TS (see Table 1).

More recently, from considering a database of more than 3200 tests [52], structural reliability analyses have been undertaken which investigated the performance of the current simplified design methods for concrete filled tubes (CFTs) given in a variety of international design standards when extended to $f_y = 850$ MPa and $f_{ck} = 185$ MPa. From this investigation [53], it was found that the Eurocode 4 simplified method for CFTs could be extended beyond its current limits, whilst still maintaining the existing reliability index β level (see Figure 5).




Figure 5. Relationship between reliability index and ratio of variable action to permanent action for simplified design method in existing Eurocode 4 with scope extended to $f_y = 850$ MPa and $f_{ck} = 185$ MPa

3 CONCLUSIONS

Following the publication of the first version in 1985, the present paper provides an overview of the development of the current Eurocode 4 before introducing the scope of the Mandate M/515 work programme that commenced in 2015. Focusing on Part 1-1 of Eurocode 4, a selection of the changes that will be included within the second generation of this Eurocode are presented, together with some of the technical challenges that needed to be overcome. Work undertaken within the Phase 4 project teams will be concluded in early 2022, before the CEN Enquiry draft for Eurocode 4 is completed. Due to the CEN process, together with the need to translate the drafts from English, it is anticipated that the complete second generation of the Eurocodes will be published in 2027.

ACKNOWLEDGEMENTS

The present authors have prepared this paper according to what they consider to be the significant changes to the existing EN 1994-1-1. However, the draft is still being prepared for CEN Enquiry and, because of this, may be subject to change. Any views expressed in this paper may not necessarily reflect those of the other members of CEN/TC250 Subcommittee 4. The first and second author acknowledge with thanks the financial support provided by the European Commission/European Free Trade Association under Grant Agreement SA/CEN/GROW/EFTA/515/2017-08 for Project Team SC4.T6 of the CEN/TC250 work programme.

REFERENCES

- [1] Eurocode No. 4: Common unified rules for composite steel and concrete structures, CEC, Report EUR 9886 EN, 1985, <https://op.europa.eu/s/oSuM>
- [2] Composite Structures. European Convention for Constructional Steelwork (ECCS) – Joint Committee for Composite Structures, Construction Press, London, 1981
- [3] Directive 89/106/EEC Council Directive of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to construction products. European Community, Official Journal of the European Union, 1989
- [4] ENV 1994-1-1: 1992 Eurocode 4: Design of composite steel and concrete structures – Part 1-1: General rules and rules for buildings, CEN, Brussels.
- [5] ENV 1994-1-2: 1994 Eurocode 4: Design of composite steel and concrete structures – Part 1-2: General rules – Structural fire design, CEN, Brussels.
- [6] ENV 1994-2: 1997 Eurocode 4: Design of composite steel and concrete structures – Part 2: Composite bridges, CEN, Brussels
- [7] Johnson R.P., “Eurocodes, 1970–2010: why 40 years?”, *Proc. Instn Civ. Engrs Structs & Bldgs*, 162(6), 371-379, 2009
- [8] EN 1994-1-1: 2004 Eurocode 4: Design of composite steel and concrete structures – Part 1-1: General rules and rules for buildings, CEN, Brussels.
- [9] EN 1994-1-2:2005+A1: 2014 Eurocode 4: Design of composite steel and concrete structures – Part 1-2: General rules – Structural fire design, CEN, Brussels
- [10] EN 1994-2: 2005 Eurocode 4: Design of composite steel and concrete structures – Part 2: General rules and rules for bridges, CEN, Brussels
- [11] Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 laying down harmonised conditions for the marketing of construction products and repealing Council Directive 89/106/EEC. European Union, Official Journal of the European Union, 2011.
- [12] Implementation of Structural Eurocodes from 1 Apr 2015. Building and Construction Authority (BCA), Singapore, 2015 See https://www.corenet.gov.sg/media/1170454/appbca-2015-05-implementation_of_structural_eurocodes_v2.pdf (accessed 4 September 2021)
- [13] Tomlinson J., Eurocodes Plus – Making Eurocodes Simple, The Day After Eurocodes, BSI Hong Kong Symposium 2014, Kowloon Bay, Kowloon, 2014
- [14] M/515 EN. Mandate for Amending Existing Eurocodes and Extending the Scope of Structural Eurocodes. European Commission, Enterprise and Industry Directorate-General, Brussels, 2012
- [15] prEN 1994-1-1: 2021 Eurocode 4: Design of composite steel and concrete structures – Part 1-1: General rules and rules for buildings, Draft March 2021, CEN/TC250/SC4 N2189.
- [16] Response to Mandate M/515 EN ‘Towards a second generation of EN Eurocodes’, CEN/TC250 – N993, Brussels, 2013

-
- [17] Kuhlmann, U., Schmidt-Rasche, C., Jörg, F., Pourostad, V., Spiegler, J. and Euler, M., “Update on the revision of Eurocode 3”, *Steel Construction*, 14, 2-13, 2021.
- [18] Albero, V., Espinos, A., Romero, M.L., Hospitaler, A., Bihina, G., Renaud, C. “Proposal of a new method in EN1994-1-2 for the fire design of concrete-filled steel tubular columns”, *Engineering Structures*, 128, 237-255, 2016.
- [19] AS/NZS 2327: 2017. Composite steel-concrete construction for buildings, Standards Australia/Standards New Zealand, Sydney/Wellington.
- [20] ENV 1993-1-1: 1992/A2: 1998 Eurocode 3: Design of steel structures - Part 1-1: General - General rules and rules for buildings, Amendment A2, CEN, Brussels
- [21] Large web openings for service integration in composite floors, Final Report for ECSC Research Contract 7210-PR-315, European Commission, 2006, <https://op.europa.eu/s/o0Lh>
- [22] Large web openings for service integration in composites floors (LWO+), Final report for RFCS Project RFS-C2-05037, European Commission, 2009, <https://op.europa.eu/s/o0Lo>
- [23] Lawson R.M., Hicks S.J. *Design of Composite Beams with Large Web Openings: In Accordance with Eurocodes and the UK National Annexes*, SCI P355, SCI, Ascot, 2011
- [24] Classen, M., Kurz, W., Schäfer, M., Hegger, J. “A mechanical design model for steel and concrete composite members with web openings”, *Engineering Structures*, 197, 2019
- [25] AS/NZS 5100.6: 2017. Bridge Design, Part 6: Steel and composite construction, Standards Australia/Standards New Zealand, Sydney/Wellington.
- [26] Hanswille, G., M. Porsch, M. “Zur Festlegung der Tragfähigkeit von Kopfbolzendübeln in Vollbetonplatten in DIN 18000-5 und EN 1994-1-1”, Schriftenreihe des Instituts für konstruktiven Ingenieurbau, Ruhr-Universität Bochum, Festschrift Prof. Kindmann, Bochum, 2007.
- [27] Hicks, S.J. “Design shear resistance of headed studs embedded in solid slabs and encasements”, *Journal of Constructional Steel Research*, 139, 339-352, 2017.
- [28] Döinghaus, P. Zum Zusammenwirken hochfester Baustoffe in Verbundträgern, Institut für Massivbau, RWTH Aachen, Dissertation, 2001.
- [29] Konrad, M., Eggert, F., Kuhlmann, U., Schorr, J. “New approach for the design shear resistance of headed studs in profiled steel sheeting with ribs transverse to supporting beam”, *Steel Construction*, 13, 252-263, 2020.
- [30] Jähring, A. Zum Tragverhalten von Kopfbolzendübeln in hochfestem Beton, Lehrstuhl für Massivbau, Institut für Baustoffe und Konstruktion, Technische Universität München, Dissertation, 2008
- [31] AISC 360-16. Specification for Structural Steel Buildings. American Institute of Steel Construction, Chicago, IL, 2016
- [32] Hicks, S.J., Smith, A.L. “Stud Shear Connectors in Composite Beams that Support Slabs with Profiled Steel Sheeting”. *Structural Engineering International*. 24(2), 246-253, 2014
- [33] Development of Improved Shear Connection Rules in Composite Beams (DISCCo), Final report for RFCS Project RFSR-CT-2012-00030, European Commission, 2017, <https://op.europa.eu/s/o2Ca>
- [34] Odenbreit, C., Nellinger, S. “Mechanical model to predict the resistance of the shear connection in composite beams with deep steel decking”, *Steel Construction*, 10, 248-253, 2017
- [35] Vigneri, V., Odenbreit, C., Schäfer, M., Hicks, S., Lam, D., Hanus, F. “Characterization of the load-slip behaviour of headed stud shear connections in narrow profiled sheeting”. In M. Knobloch, U. Kuhlmann, W. Kurz, & M. Schäfer (eds.) *Proceedings of the 9th international Conference on Composite Construction in Steel And Concrete*, July 27 – July 29, 2021, Online, Germany
-

- [36] Vigneri, V., Hicks, S.J., Taras, A., Odenbreit, C. “Design models for predicting the resistance of headed studs in profiled sheeting”, *Steel and Composite Structures*, 42(5), 633-647, 2022.
- [37] Johnson RP, Molenstra N. “Partial shear connection in composite beams for buildings”, *Proc. Instn Civ. Engrs*, 91(2), 679–704, 1991
- [38] Aribert J-M. “Dimensionnement de poutres mixtes en connection partielle” Mixed Structures Including New Materials. IABSE Symposium Brussels, Report 60, 215–220, 1990.
- [39] Couchman, G.H. Minimum degree of shear connection rules for UK construction to Eurocode 4. SCI Publication 405, Steel Construction Institute, Ascot, 2015.
- [40] Schäfer, M., Zhang, Q., Braun, M., Banfi, M. “Limitations of plastic bending resistance for composite beams deviated from strain-limitation”, *Journal of Constructional Steel Research*, 180, 2021.
- [41] Hicks, S.J, Braun, M., Markovic, Z., Way, J. “New Eurocode 4 design rules for shallow floor construction”, *ce/papers*, 4(2-4), 1016-1020, 2021
- [42] Hicks, S.J. and Lawson, R.M. Design of composite Beams using precast concrete slabs. SCI Publication 287, Steel Construction Institute, Ascot, 2003
- [43] Couchman, G.H. Design of composite beams using precast concrete slabs in accordance with Eurocode 4. SCI Publication 401, Steel Construction Institute, Ascot, 2014
- [44] Lam, D., Elliott, K.S., Nethercot, D.A. “Experiments on composite steel beams with precast concrete hollow core floor slabs”, *Proc. Instn Civ. Engrs Structs & Bldgs*, 140, 127-138, 2000.
- [45] Lam, D., Elliott, K.S., Nethercot, D.A. “Push-off tests on shear studs with hollow-cored floor slabs”, *The Structural Engineer*, 76(9), 167-174, 1998.
- [46] Lam, D. “Capacities of headed stud shear connectors in composite steel beams with precast hollowcore slabs”, *Journal of Constructional Steel Research*, 63(9), 1160-1174, 2007.
- [47] Hicks, S.J, Braun, M., Markovic, Z., Way, J. “New Eurocode 4 design rules for composite beams with precast concrete slabs”. In M. Knobloch, U. Kuhlmann, W. Kurz, & M. Schäfer (eds.) Proceedings of the 9th international Conference on Composite Construction in Steel And Concrete, July 27 – July 29, 2021, Online, Germany
- [48] Bode, H., Sauerborn, I. “Modern design concept for composite slabs with ductile behaviour”, *Composite Construction in Steel and Concrete II*, Easterling, W.S. and Roddis, W.M.K. (eds), ASCE, NY, 1993, 125-141
- [49] Schäfer, M. “European design code for composite structures in steel and concrete”, *Steel Construction*, 12, 70-81, 2019
- [50] Schmeckebier, N., Kurz, W. “Engineering model for the vertical shear capacity of composite slabs with additional reinforcing steel”. In M. Knobloch, U. Kuhlmann, W. Kurz, & M. Schäfer (eds.) Proceedings of the 9th international Conference on Composite Construction in Steel And Concrete, July 27 – July 29, 2021, Online, Germany.
- [51] BC4: 2021 Design guide for steel-concrete composite columns with high strength materials – An extension of Eurocode 4 method to C90/105 concrete and S550 steel. BCA, Singapore See <https://www1.bca.gov.sg/docs/default-source/docs-corp-regulatory/building-control/bc4-2021.pdf> (accessed 4 September 2021)
- [52] Thai, H.-T., Thai, S., Ngo, T., Uy, B., Kang, W.-H., Hicks S.J. “Concrete-filled steel tubular (CFST) columns database with 3,208 tests”, Mendeley Data, 2020 <http://dx.doi.org/10.17632/j3f5cx9yjh.1>
- [53] Thai, H.-T., Thai, S., Ngo, T., Uy, B., Kang, W.-H., Hicks S.J. “Reliability considerations of modern design codes for CFST columns”, *Journal of Constructional Steel Research*, 177, 2021
-